

Table S3 - Statistical values of bonferroni's multiple comparisons test of r-protein quantity ((L+H)/M ratio) in the 70S ribosomes from stationary phase (Figure S4) dataset

Bonferroni's multiple comparisons test	Mean 1	Mean 2	Mean Diff.	95.00% CI of diff.	N1	N2	t	DF	Significant?	Adjusted P Value
uL1										
Control vs. Day 1	1.0000	1.0070	-0.0067	-0.1318 to 0.1185	3	3	0.1460	866	No	0.9999
Control vs. Day 2	1.0000	0.9900	0.0100	-0.1152 to 0.1352	3	3	0.2190	866	No	0.9999
Control vs. Day 4	1.0000	0.9733	0.0267	-0.09851 to 0.1518	3	3	0.5839	866	No	0.9999
Control vs. Day 6	1.0000	1.0100	-0.0100	-0.1352 to 0.1152	3	3	0.2190	866	No	0.9999
Control vs. Day 8	1.0000	0.9700	0.0300	-0.09517 to 0.1552	3	3	0.6569	866	No	0.9999
Control vs. Day 10	1.0000	0.9200	0.0800	-0.05995 to 0.2199	3	2	1.5670	866	No	0.9400
Control vs. Day 12	1.0000	0.9033	0.0967	-0.02851 to 0.2218	3	3	2.1170	866	No	0.2765
Control vs. Day 14	1.0000	0.9167	0.0833	-0.04184 to 0.2085	3	3	1.8250	866	No	0.5470
uL2										
Control vs. Day 1	1.0000	1.0200	-0.0200	-0.1452 to 0.1052	3	3	0.4380	866	No	0.9999
Control vs. Day 2	1.0000	1.0130	-0.0133	-0.1385 to 0.1118	3	3	0.2920	866	No	0.9999
Control vs. Day 4	1.0000	0.9967	0.0033	-0.1218 to 0.1285	3	3	0.0730	866	No	0.9999
Control vs. Day 6	1.0000	1.0600	-0.0600	-0.1852 to 0.06517	3	3	1.3140	866	No	0.9999
Control vs. Day 8	1.0000	1.0100	-0.0100	-0.1352 to 0.1152	3	3	0.2190	866	No	0.9999
Control vs. Day 10	1.0000	1.0000	0.0000	-0.1399 to 0.1399	3	2	0.0000	866	No	0.9999
Control vs. Day 12	1.0000	0.9900	0.0100	-0.1152 to 0.1352	3	3	0.2190	866	No	0.9999
Control vs. Day 14	1.0000	0.9933	0.0067	-0.1185 to 0.1318	3	3	0.1460	866	No	0.9999
uL3										
Control vs. Day 1	1.0000	0.9633	0.0367	-0.08851 to 0.1618	3	3	0.8029	866	No	0.9999
Control vs. Day 2	1.0000	0.9967	0.0033	-0.1218 to 0.1285	3	3	0.0730	866	No	0.9999
Control vs. Day 4	1.0000	0.9767	0.0233	-0.1018 to 0.1485	3	3	0.5110	866	No	0.9999
Control vs. Day 6	1.0000	1.0400	-0.0400	-0.1652 to 0.08517	3	3	0.8759	866	No	0.9999
Control vs. Day 8	1.0000	1.0270	-0.0267	-0.1518 to 0.09851	3	3	0.5839	866	No	0.9999
Control vs. Day 10	1.0000	0.9900	0.0100	-0.1299 to 0.1499	3	2	0.1959	866	No	0.9999
Control vs. Day 12	1.0000	1.0200	-0.0200	-0.1452 to 0.1052	3	3	0.4380	866	No	0.9999
Control vs. Day 14	1.0000	1.0030	-0.0033	-0.1285 to 0.1218	3	3	0.0730	866	No	0.9999
uL4										
Control vs. Day 1	1.0000	0.9800	0.0200	-0.1052 to 0.1452	3	3	0.4380	866	No	0.9999
Control vs. Day 2	1.0000	0.9767	0.0233	-0.1018 to 0.1485	3	3	0.5110	866	No	0.9999
Control vs. Day 4	1.0000	0.9667	0.0333	-0.09184 to 0.1585	3	3	0.7299	866	No	0.9999
Control vs. Day 6	1.0000	1.0100	-0.0100	-0.1352 to 0.1152	3	3	0.2190	866	No	0.9999
Control vs. Day 8	1.0000	0.9800	0.0200	-0.1052 to 0.1452	3	3	0.4380	866	No	0.9999
Control vs. Day 10	1.0000	0.9900	0.0100	-0.1299 to 0.1499	3	2	0.1959	866	No	0.9999
Control vs. Day 12	1.0000	0.9600	0.0400	-0.08517 to 0.1652	3	3	0.8759	866	No	0.9999
Control vs. Day 14	1.0000	0.9567	0.0433	-0.08184 to 0.1685	3	3	0.9489	866	No	0.9999
uL5										
Control vs. Day 1	1.0000	0.9567	0.0433	-0.08184 to 0.1685	3	3	0.9489	866	No	0.9999
Control vs. Day 2	1.0000	0.9433	0.0567	-0.06851 to 0.1818	3	3	1.2410	866	No	0.9999
Control vs. Day 4	1.0000	0.9467	0.0533	-0.07184 to 0.1785	3	3	1.1680	866	No	0.9999
Control vs. Day 6	1.0000	0.9467	0.0533	-0.07184 to 0.1785	3	3	1.1680	866	No	0.9999
Control vs. Day 8	1.0000	0.9400	0.0600	-0.06517 to 0.1852	3	3	1.3140	866	No	0.9999
Control vs. Day 10	1.0000	0.9300	0.0700	-0.06995 to 0.2099	3	2	1.3710	866	No	0.9999
Control vs. Day 12	1.0000	0.9367	0.0633	-0.06184 to 0.1885	3	3	1.3870	866	No	0.9999
Control vs. Day 14	1.0000	0.9333	0.0667	-0.05851 to 0.1918	3	3	1.4600	866	No	0.9999

Bonferroni's multiple comparisons test	Mean 1	Mean 2	Mean Diff.	95.00% CI of diff.	N1	N2	t	DF	Significant?	Adjusted P Value
uL6										
Control vs. Day 1	1.0000	1.0200	-0.0200	-0.1452 to 0.1052	3	3	0.4380	866	No	0.9999
Control vs. Day 2	1.0000	1.0430	-0.0433	-0.1685 to 0.08184	3	3	0.9489	866	No	0.9999
Control vs. Day 4	1.0000	1.0070	-0.0067	-0.1318 to 0.1185	3	3	0.1460	866	No	0.9999
Control vs. Day 6	1.0000	1.0530	-0.0533	-0.1785 to 0.07184	3	3	1.1680	866	No	0.9999
Control vs. Day 8	1.0000	1.0370	-0.0367	-0.1618 to 0.08851	3	3	0.8029	866	No	0.9999
Control vs. Day 10	1.0000	1.0550	-0.0550	-0.1949 to 0.08495	3	2	1.0770	866	No	0.9999
Control vs. Day 12	1.0000	1.0870	-0.0867	-0.2118 to 0.03851	3	3	1.8980	866	No	0.4644
Control vs. Day 14	1.0000	1.0730	-0.0733	-0.1985 to 0.05184	3	3	1.6060	866	No	0.8694
bL12										
Control vs. Day 1	1.0000	0.9867	0.0133	-0.1118 to 0.1385	3	3	0.2920	866	No	0.9999
Control vs. Day 2	1.0000	0.9433	0.0567	-0.06851 to 0.1818	3	3	1.2410	866	No	0.9999
Control vs. Day 4	1.0000	1.0170	-0.0167	-0.1418 to 0.1085	3	3	0.3650	866	No	0.9999
Control vs. Day 6	1.0000	0.8500	0.1500	0.02483 to 0.2752	3	3	3.2850	866	Yes	0.0085
Control vs. Day 8	1.0000	1.0100	-0.0100	-0.1352 to 0.1152	3	3	0.2190	866	No	0.9999
Control vs. Day 10	1.0000	1.1400	-0.1400	-0.2799 to -5.118e-005	3	2	2.7420	866	Yes	0.0498
Control vs. Day 12	1.0000	1.1700	-0.1700	-0.2952 to -0.04483	3	3	3.7230	866	Yes	0.0017
Control vs. Day 14	1.0000	1.1970	-0.1967	-0.3218 to -0.07149	3	3	4.3070	866	Yes	0.0001
bL9										
Control vs. Day 1	1.0000	1.0030	-0.0033	-0.1285 to 0.1218	3	3	0.0730	866	No	0.9999
Control vs. Day 2	1.0000	1.0200	-0.0200	-0.1452 to 0.1052	3	3	0.4380	866	No	0.9999
Control vs. Day 4	1.0000	1.0030	-0.0033	-0.1285 to 0.1218	3	3	0.0730	866	No	0.9999
Control vs. Day 6	1.0000	1.0530	-0.0533	-0.1785 to 0.07184	3	3	1.1680	866	No	0.9999
Control vs. Day 8	1.0000	1.0000	0.0000	-0.1252 to 0.1252	3	3	0.0000	866	No	0.9999
Control vs. Day 10	1.0000	0.9800	0.0200	-0.1199 to 0.1599	3	2	0.3917	866	No	0.9999
Control vs. Day 12	1.0000	0.9900	0.0100	-0.1152 to 0.1352	3	3	0.2190	866	No	0.9999
Control vs. Day 14	1.0000	0.9733	0.0267	-0.09851 to 0.1518	3	3	0.5839	866	No	0.9999
uL10										
Control vs. Day 1	1.0000	0.9500	0.0500	-0.07517 to 0.1752	3	3	1.0950	866	No	0.9999
Control vs. Day 2	1.0000	0.9200	0.0800	-0.04517 to 0.2052	3	3	1.7520	866	No	0.6412
Control vs. Day 4	1.0000	1.0170	-0.0167	-0.1418 to 0.1085	3	3	0.3650	866	No	0.9999
Control vs. Day 6	1.0000	0.7667	0.2333	0.1082 to 0.3585	3	3	5.1100	866	Yes	0.0001
Control vs. Day 8	1.0000	0.9533	0.0467	-0.07851 to 0.1718	3	3	1.0220	866	No	0.9999
Control vs. Day 10	1.0000	1.1000	-0.1000	-0.2399 to 0.03995	3	2	1.9590	866	No	0.4038
Control vs. Day 12	1.0000	1.1000	-0.1000	-0.2252 to 0.02517	3	3	2.1900	866	No	0.2304
Control vs. Day 14	1.0000	1.1570	-0.1567	-0.2818 to -0.03149	3	3	3.4310	866	Yes	0.0050
uL11										
Control vs. Day 1	1.0000	1.0370	-0.0367	-0.1618 to 0.08851	3	3	0.8029	866	No	0.9999
Control vs. Day 2	1.0000	1.0500	-0.0500	-0.1752 to 0.07517	3	3	1.0950	866	No	0.9999
Control vs. Day 4	1.0000	1.0000	0.0000	-0.1252 to 0.1252	3	3	0.0000	866	No	0.9999
Control vs. Day 6	1.0000	1.0800	-0.0800	-0.2052 to 0.04517	3	3	1.7520	866	No	0.6412
Control vs. Day 8	1.0000	1.0500	-0.0500	-0.1752 to 0.07517	3	3	1.0950	866	No	0.9999
Control vs. Day 10	1.0000	1.0750	-0.0750	-0.2149 to 0.06495	3	2	1.4690	866	No	0.9999
Control vs. Day 12	1.0000	1.0670	-0.0667	-0.1918 to 0.05851	3	3	1.4600	866	No	0.9999
Control vs. Day 14	1.0000	1.0930	-0.0933	-0.2185 to 0.03184	3	3	2.0440	866	No	0.3302

Bonferroni's multiple comparisons test	Mean 1	Mean 2	Mean Diff.	95.00% CI of diff.	N1	N2	t	DF	Significant?	Adjusted P Value
uL13										
Control vs. Day 1	1.0000	0.9700	0.0300	-0.09517 to 0.1552	3	3	0.6569	866	No	0.9999
Control vs. Day 2	1.0000	1.0030	-0.0033	-0.1285 to 0.1218	3	3	0.0730	866	No	0.9999
Control vs. Day 4	1.0000	0.9633	0.0367	-0.08851 to 0.1618	3	3	0.8029	866	No	0.9999
Control vs. Day 6	1.0000	0.9733	0.0267	-0.09851 to 0.1518	3	3	0.5839	866	No	0.9999
Control vs. Day 8	1.0000	0.9733	0.0267	-0.09851 to 0.1518	3	3	0.5839	866	No	0.9999
Control vs. Day 10	1.0000	0.9900	0.0100	-0.1299 to 0.1499	3	2	0.1959	866	No	0.9999
Control vs. Day 12	1.0000	0.9833	0.0167	-0.1085 to 0.1418	3	3	0.3650	866	No	0.9999
Control vs. Day 14	1.0000	0.9933	0.0067	-0.1185 to 0.1318	3	3	0.1460	866	No	0.9999
uL14										
Control vs. Day 1	1.0000	0.9833	0.0167	-0.1085 to 0.1418	3	3	0.3650	866	No	0.9999
Control vs. Day 2	1.0000	0.9933	0.0067	-0.1185 to 0.1318	3	3	0.1460	866	No	0.9999
Control vs. Day 4	1.0000	0.9367	0.0633	-0.06184 to 0.1885	3	3	1.3870	866	No	0.9999
Control vs. Day 6	1.0000	1.0230	-0.0233	-0.1485 to 0.1018	3	3	0.5110	866	No	0.9999
Control vs. Day 8	1.0000	0.9567	0.0433	-0.08184 to 0.1685	3	3	0.9489	866	No	0.9999
Control vs. Day 10	1.0000	0.9550	0.0450	-0.09495 to 0.1849	3	2	0.8814	866	No	0.9999
Control vs. Day 12	1.0000	0.9833	0.0167	-0.1085 to 0.1418	3	3	0.3650	866	No	0.9999
Control vs. Day 14	1.0000	0.9367	0.0633	-0.06184 to 0.1885	3	3	1.3870	866	No	0.9999
uL15										
Control vs. Day 1	1.0000	0.9667	0.0333	-0.09184 to 0.1585	3	3	0.7299	866	No	0.9999
Control vs. Day 2	1.0000	0.9833	0.0167	-0.1085 to 0.1418	3	3	0.3650	866	No	0.9999
Control vs. Day 4	1.0000	0.9633	0.0367	-0.08851 to 0.1618	3	3	0.8029	866	No	0.9999
Control vs. Day 6	1.0000	1.0370	-0.0367	-0.1618 to 0.08851	3	3	0.8029	866	No	0.9999
Control vs. Day 8	1.0000	0.9833	0.0167	-0.1085 to 0.1418	3	3	0.3650	866	No	0.9999
Control vs. Day 10	1.0000	0.9200	0.0800	-0.05995 to 0.2199	3	2	1.5670	866	No	0.9400
Control vs. Day 12	1.0000	0.9633	0.0367	-0.08851 to 0.1618	3	3	0.8029	866	No	0.9999
Control vs. Day 14	1.0000	0.9600	0.0400	-0.08517 to 0.1652	3	3	0.8759	866	No	0.9999
uL16										
Control vs. Day 1	1.0000	1.0130	-0.0133	-0.1385 to 0.1118	3	3	0.2920	866	No	0.9999
Control vs. Day 2	1.0000	1.0400	-0.0400	-0.1652 to 0.08517	3	3	0.8759	866	No	0.9999
Control vs. Day 4	1.0000	1.0300	-0.0300	-0.1552 to 0.09517	3	3	0.6569	866	No	0.9999
Control vs. Day 6	1.0000	1.0700	-0.0700	-0.1952 to 0.05517	3	3	1.5330	866	No	0.9999
Control vs. Day 8	1.0000	1.0600	-0.0600	-0.1852 to 0.06517	3	3	1.3140	866	No	0.9999
Control vs. Day 10	1.0000	1.0300	-0.0300	-0.1699 to 0.1099	3	2	0.5876	866	No	0.9999
Control vs. Day 12	1.0000	0.9833	0.0167	-0.1085 to 0.1418	3	3	0.3650	866	No	0.9999
Control vs. Day 14	1.0000	0.9733	0.0267	-0.09851 to 0.1518	3	3	0.5839	866	No	0.9999
bL17										
Control vs. Day 1	1.0000	1.1400	-0.1400	-0.2652 to -0.01483	3	3	3.0660	866	Yes	0.0179
Control vs. Day 2	1.0000	1.1630	-0.1633	-0.2885 to -0.03816	3	3	3.5770	866	Yes	0.0029
Control vs. Day 4	1.0000	1.1300	-0.1300	-0.2552 to -0.004826	3	3	2.8470	866	Yes	0.0362
Control vs. Day 6	1.0000	1.1700	-0.1700	-0.2952 to -0.04483	3	3	3.7230	866	Yes	0.0017
Control vs. Day 8	1.0000	1.1730	-0.1733	-0.2985 to -0.04816	3	3	3.7960	866	Yes	0.0013
Control vs. Day 10	1.0000	1.1650	-0.1650	-0.3049 to -0.02505	3	2	3.2320	866	Yes	0.0102
Control vs. Day 12	1.0000	1.0730	-0.0733	-0.1985 to 0.05184	3	3	1.6060	866	No	0.8694
Control vs. Day 14	1.0000	1.0400	-0.0400	-0.1652 to 0.08517	3	3	0.8759	866	No	0.9999

Bonferroni's multiple comparisons test	Mean 1	Mean 2	Mean Diff.	95.00% CI of diff.	N1	N2	t	DF	Significant?	Adjusted P Value
uL18										
Control vs. Day 1	1.0000	0.9633	0.0367	-0.08851 to 0.1618	3	3	0.8029	866	No	0.9999
Control vs. Day 2	1.0000	0.9400	0.0600	-0.06517 to 0.1852	3	3	1.3140	866	No	0.9999
Control vs. Day 4	1.0000	0.9633	0.0367	-0.08851 to 0.1618	3	3	0.8029	866	No	0.9999
Control vs. Day 6	1.0000	0.9067	0.0933	-0.03184 to 0.2185	3	3	2.0440	866	No	0.3302
Control vs. Day 8	1.0000	0.9033	0.0967	-0.02851 to 0.2218	3	3	2.1170	866	No	0.2765
Control vs. Day 10	1.0000	0.8950	0.1050	-0.03495 to 0.2449	3	2	2.0570	866	No	0.3202
Control vs. Day 12	1.0000	0.9133	0.0867	-0.03851 to 0.2118	3	3	1.8980	866	No	0.4644
Control vs. Day 14	1.0000	0.9133	0.0867	-0.03851 to 0.2118	3	3	1.8980	866	No	0.4644
bL19										
Control vs. Day 1	1.0000	0.9800	0.0200	-0.1052 to 0.1452	3	3	0.4380	866	No	0.9999
Control vs. Day 2	1.0000	0.9767	0.0233	-0.1018 to 0.1485	3	3	0.5110	866	No	0.9999
Control vs. Day 4	1.0000	0.9767	0.0233	-0.1018 to 0.1485	3	3	0.5110	866	No	0.9999
Control vs. Day 6	1.0000	0.9433	0.0567	-0.06851 to 0.1818	3	3	1.2410	866	No	0.9999
Control vs. Day 8	1.0000	0.9467	0.0533	-0.07184 to 0.1785	3	3	1.1680	866	No	0.9999
Control vs. Day 10	1.0000	0.9400	0.0600	-0.07995 to 0.1999	3	2	1.1750	866	No	0.9999
Control vs. Day 12	1.0000	0.9300	0.0700	-0.05517 to 0.1952	3	3	1.5330	866	No	0.9999
Control vs. Day 14	1.0000	0.9333	0.0667	-0.05851 to 0.1918	3	3	1.4600	866	No	0.9999
bL20										
Control vs. Day 1	1.0000	1.0770	-0.0767	-0.2018 to 0.04851	3	3	1.6790	866	No	0.7483
Control vs. Day 2	1.0000	1.1130	-0.1133	-0.2385 to 0.01184	3	3	2.4820	866	No	0.1061
Control vs. Day 4	1.0000	1.2370	-0.2367	-0.3618 to -0.1115	3	3	5.1830	866	Yes	0.0001
Control vs. Day 6	1.0000	1.1670	-0.1667	-0.2918 to -0.04149	3	3	3.6500	866	Yes	0.0022
Control vs. Day 8	1.0000	1.1930	-0.1933	-0.3185 to -0.06816	3	3	4.2340	866	Yes	0.0002
Control vs. Day 10	1.0000	1.0950	-0.0950	-0.2349 to 0.04495	3	2	1.8610	866	No	0.5050
Control vs. Day 12	1.0000	1.0430	-0.0433	-0.1685 to 0.08184	3	3	0.9489	866	No	0.9999
Control vs. Day 14	1.0000	0.9767	0.0233	-0.1018 to 0.1485	3	3	0.5110	866	No	0.9999
bL21										
Control vs. Day 1	1.0000	1.0300	-0.0300	-0.1552 to 0.09517	3	3	0.6569	866	No	0.9999
Control vs. Day 2	1.0000	1.0600	-0.0600	-0.1852 to 0.06517	3	3	1.3140	866	No	0.9999
Control vs. Day 4	1.0000	1.1070	-0.1067	-0.2318 to 0.01851	3	3	2.3360	866	No	0.1578
Control vs. Day 6	1.0000	1.2230	-0.2233	-0.3485 to -0.09816	3	3	4.8910	866	Yes	0.0001
Control vs. Day 8	1.0000	1.0970	-0.0967	-0.2218 to 0.02851	3	3	2.1170	866	No	0.2765
Control vs. Day 10	1.0000	1.0550	-0.0550	-0.1949 to 0.08495	3	2	1.0770	866	No	0.9999
Control vs. Day 12	1.0000	1.0400	-0.0400	-0.1652 to 0.08517	3	3	0.8759	866	No	0.9999
Control vs. Day 14	1.0000	1.0100	-0.0100	-0.1352 to 0.1152	3	3	0.2190	866	No	0.9999
uL22										
Control vs. Day 1	1.0000	1.1200	-0.1200	-0.2452 to 0.005174	3	3	2.6280	866	No	0.0700
Control vs. Day 2	1.0000	1.1670	-0.1667	-0.2918 to -0.04149	3	3	3.6500	866	Yes	0.0022
Control vs. Day 4	1.0000	1.1330	-0.1333	-0.2585 to -0.008159	3	3	2.9200	866	Yes	0.0288
Control vs. Day 6	1.0000	1.1570	-0.1567	-0.2818 to -0.03149	3	3	3.4310	866	Yes	0.0050
Control vs. Day 8	1.0000	1.2000	-0.2000	-0.3252 to -0.07483	3	3	4.3800	866	Yes	0.0001
Control vs. Day 10	1.0000	1.2600	-0.2600	-0.3999 to -0.1201	3	2	5.0920	866	Yes	0.0001
Control vs. Day 12	1.0000	1.1800	-0.1800	-0.3052 to -0.05483	3	3	3.9420	866	Yes	0.0007
Control vs. Day 14	1.0000	1.1430	-0.1433	-0.2685 to -0.01816	3	3	3.1390	866	Yes	0.0140

Bonferroni's multiple comparisons test	Mean 1	Mean 2	Mean Diff.	95.00% CI of diff.	N1	N2	t	DF	Significant?	Adjusted P Value
uL23										
Control vs. Day 1	1.0000	0.9900	0.0100	-0.1152 to 0.1352	3	3	0.2190	866	No	0.9999
Control vs. Day 2	1.0000	0.9733	0.0267	-0.09851 to 0.1518	3	3	0.5839	866	No	0.9999
Control vs. Day 4	1.0000	0.9767	0.0233	-0.1018 to 0.1485	3	3	0.5110	866	No	0.9999
Control vs. Day 6	1.0000	0.9333	0.0667	-0.05851 to 0.1918	3	3	1.4600	866	No	0.9999
Control vs. Day 8	1.0000	0.9700	0.0300	-0.09517 to 0.1552	3	3	0.6569	866	No	0.9999
Control vs. Day 10	1.0000	0.9900	0.0100	-0.1299 to 0.1499	3	2	0.1959	866	No	0.9999
Control vs. Day 12	1.0000	1.0200	-0.0200	-0.1452 to 0.1052	3	3	0.4380	866	No	0.9999
Control vs. Day 14	1.0000	1.0500	-0.0500	-0.1752 to 0.07517	3	3	1.0950	866	No	0.9999
uL24										
Control vs. Day 1	1.0000	0.9933	0.0067	-0.1185 to 0.1318	3	3	0.1460	866	No	0.9999
Control vs. Day 2	1.0000	0.9633	0.0367	-0.08851 to 0.1618	3	3	0.8029	866	No	0.9999
Control vs. Day 4	1.0000	0.9800	0.0200	-0.1052 to 0.1452	3	3	0.4380	866	No	0.9999
Control vs. Day 6	1.0000	0.9967	0.0033	-0.1218 to 0.1285	3	3	0.0730	866	No	0.9999
Control vs. Day 8	1.0000	0.9567	0.0433	-0.08184 to 0.1685	3	3	0.9489	866	No	0.9999
Control vs. Day 10	1.0000	0.9850	0.0150	-0.1249 to 0.1549	3	2	0.2938	866	No	0.9999
Control vs. Day 12	1.0000	0.9733	0.0267	-0.09851 to 0.1518	3	3	0.5839	866	No	0.9999
Control vs. Day 14	1.0000	0.9567	0.0433	-0.08184 to 0.1685	3	3	0.9489	866	No	0.9999
bL25										
Control vs. Day 1	1.0000	1.0370	-0.0367	-0.1618 to 0.08851	3	3	0.8029	866	No	0.9999
Control vs. Day 2	1.0000	1.0130	-0.0133	-0.1385 to 0.1118	3	3	0.2920	866	No	0.9999
Control vs. Day 4	1.0000	1.0470	-0.0467	-0.1718 to 0.07851	3	3	1.0220	866	No	0.9999
Control vs. Day 6	1.0000	0.9900	0.0100	-0.1152 to 0.1352	3	3	0.2190	866	No	0.9999
Control vs. Day 8	1.0000	0.9967	0.0033	-0.1218 to 0.1285	3	3	0.0730	866	No	0.9999
Control vs. Day 10	1.0000	1.0050	-0.0050	-0.1449 to 0.1349	3	2	0.0979	866	No	0.9999
Control vs. Day 12	1.0000	1.0430	-0.0433	-0.1685 to 0.08184	3	3	0.9489	866	No	0.9999
Control vs. Day 14	1.0000	1.0200	-0.0200	-0.1452 to 0.1052	3	3	0.4380	866	No	0.9999
bL27										
Control vs. Day 1	1.0000	0.9367	0.0633	-0.06184 to 0.1885	3	3	1.3870	866	No	0.9999
Control vs. Day 2	1.0000	0.9767	0.0233	-0.1018 to 0.1485	3	3	0.5110	866	No	0.9999
Control vs. Day 4	1.0000	0.9400	0.0600	-0.06517 to 0.1852	3	3	1.3140	866	No	0.9999
Control vs. Day 6	1.0000	1.0270	-0.0267	-0.1518 to 0.09851	3	3	0.5839	866	No	0.9999
Control vs. Day 8	1.0000	0.9600	0.0400	-0.08517 to 0.1652	3	3	0.8759	866	No	0.9999
Control vs. Day 10	1.0000	0.9600	0.0400	-0.09995 to 0.1799	3	2	0.7835	866	No	0.9999
Control vs. Day 12	1.0000	0.9700	0.0300	-0.09517 to 0.1552	3	3	0.6569	866	No	0.9999
Control vs. Day 14	1.0000	1.0100	-0.0100	-0.1352 to 0.1152	3	3	0.2190	866	No	0.9999
bL28										
Control vs. Day 1	1.0000	1.0200	-0.0200	-0.1452 to 0.1052	3	3	0.4380	866	No	0.9999
Control vs. Day 2	1.0000	0.9667	0.0333	-0.09184 to 0.1585	3	3	0.7299	866	No	0.9999
Control vs. Day 4	1.0000	0.9600	0.0400	-0.08517 to 0.1652	3	3	0.8759	866	No	0.9999
Control vs. Day 6	1.0000	0.8833	0.1167	-0.008507 to 0.2418	3	3	2.5550	866	No	0.0864
Control vs. Day 8	1.0000	0.9100	0.0900	-0.03517 to 0.2152	3	3	1.9710	866	No	0.3925
Control vs. Day 10	1.0000	0.9350	0.0650	-0.07495 to 0.2049	3	2	1.2730	866	No	0.9999
Control vs. Day 12	1.0000	0.9133	0.0867	-0.03851 to 0.2118	3	3	1.8980	866	No	0.4644
Control vs. Day 14	1.0000	0.9433	0.0567	-0.06851 to 0.1818	3	3	1.2410	866	No	0.9999

Bonferroni's multiple comparisons test	Mean 1	Mean 2	Mean Diff.	95.00% CI of diff.	N1	N2	t	DF	Significant?	Adjusted P Value
uL29										
Control vs. Day 1	1.0000	0.9467	0.0533	-0.07184 to 0.1785	3	3	1.1680	866	No	0.9999
Control vs. Day 2	1.0000	0.8800	0.1200	-0.005174 to 0.2452	3	3	2.6280	866	No	0.0700
Control vs. Day 4	1.0000	0.9667	0.0333	-0.09184 to 0.1585	3	3	0.7299	866	No	0.9999
Control vs. Day 6	1.0000	0.7733	0.2267	0.1015 to 0.3518	3	3	4.9640	866	Yes	0.0001
Control vs. Day 8	1.0000	0.8967	0.1033	-0.02184 to 0.2285	3	3	2.2630	866	No	0.1912
Control vs. Day 10	1.0000	0.9800	0.0200	-0.1199 to 0.1599	3	2	0.3917	866	No	0.9999
Control vs. Day 12	1.0000	1.0300	-0.0300	-0.1552 to 0.09517	3	3	0.6569	866	No	0.9999
Control vs. Day 14	1.0000	1.0430	-0.0433	-0.1685 to 0.08184	3	3	0.9489	866	No	0.9999
uL30										
Control vs. Day 1	1.0000	0.9600	0.0400	-0.08517 to 0.1652	3	3	0.8759	866	No	0.9999
Control vs. Day 2	1.0000	0.9267	0.0733	-0.05184 to 0.1985	3	3	1.6060	866	No	0.8694
Control vs. Day 4	1.0000	0.8967	0.1033	-0.02184 to 0.2285	3	3	2.2630	866	No	0.1912
Control vs. Day 6	1.0000	0.9367	0.0633	-0.06184 to 0.1885	3	3	1.3870	866	No	0.9999
Control vs. Day 8	1.0000	0.9267	0.0733	-0.05184 to 0.1985	3	3	1.6060	866	No	0.8694
Control vs. Day 10	1.0000	0.9600	0.0400	-0.09995 to 0.1799	3	2	0.7835	866	No	0.9999
Control vs. Day 12	1.0000	1.0230	-0.0233	-0.1485 to 0.1018	3	3	0.5110	866	No	0.9999
Control vs. Day 14	1.0000	0.9400	0.0600	-0.06517 to 0.1852	3	3	1.3140	866	No	0.9999
bL32										
Control vs. Day 1	1.0000	0.9433	0.0567	-0.06851 to 0.1818	3	3	1.2410	866	No	0.9999
Control vs. Day 2	1.0000	0.9533	0.0467	-0.07851 to 0.1718	3	3	1.0220	866	No	0.9999
Control vs. Day 4	1.0000	0.9333	0.0667	-0.05851 to 0.1918	3	3	1.4600	866	No	0.9999
Control vs. Day 6	1.0000	0.9600	0.0400	-0.08517 to 0.1652	3	3	0.8759	866	No	0.9999
Control vs. Day 8	1.0000	0.9633	0.0367	-0.08851 to 0.1618	3	3	0.8029	866	No	0.9999
Control vs. Day 10	1.0000	0.9750	0.0250	-0.1149 to 0.1649	3	2	0.4897	866	No	0.9999
Control vs. Day 12	1.0000	0.8900	0.1100	-0.01517 to 0.2352	3	3	2.4090	866	No	0.1297
Control vs. Day 14	1.0000	0.9000	0.1000	-0.02517 to 0.2252	3	3	2.1900	866	No	0.2304
bL33										
Control vs. Day 1	1.0000	0.9900	0.0100	-0.1152 to 0.1352	3	3	0.2190	866	No	0.9999
Control vs. Day 2	1.0000	1.0170	-0.0167	-0.1418 to 0.1085	3	3	0.3650	866	No	0.9999
Control vs. Day 4	1.0000	0.9967	0.0033	-0.1218 to 0.1285	3	3	0.0730	866	No	0.9999
Control vs. Day 6	1.0000	0.9867	0.0133	-0.1118 to 0.1385	3	3	0.2920	866	No	0.9999
Control vs. Day 8	1.0000	0.9433	0.0567	-0.06851 to 0.1818	3	3	1.2410	866	No	0.9999
Control vs. Day 10	1.0000	0.7400	0.2600	0.1201 to 0.3999	3	2	5.0920	866	Yes	0.0001
Control vs. Day 12	1.0000	0.8233	0.1767	0.05149 to 0.3018	3	3	3.8690	866	Yes	0.0009
Control vs. Day 14	1.0000	0.9467	0.0533	-0.07184 to 0.1785	3	3	1.1680	866	No	0.9999
bL34										
Control vs. Day 1	1.0000	1.0070	-0.0067	-0.1318 to 0.1185	3	3	0.1460	866	No	0.9999
Control vs. Day 2	1.0000	0.9900	0.0100	-0.1152 to 0.1352	3	3	0.2190	866	No	0.9999
Control vs. Day 4	1.0000	0.9633	0.0367	-0.08851 to 0.1618	3	3	0.8029	866	No	0.9999
Control vs. Day 6	1.0000	0.9733	0.0267	-0.09851 to 0.1518	3	3	0.5839	866	No	0.9999
Control vs. Day 8	1.0000	1.0170	-0.0167	-0.1418 to 0.1085	3	3	0.3650	866	No	0.9999
Control vs. Day 10	1.0000	0.9900	0.0100	-0.1299 to 0.1499	3	2	0.1959	866	No	0.9999
Control vs. Day 12	1.0000	0.9867	0.0133	-0.1118 to 0.1385	3	3	0.2920	866	No	0.9999
Control vs. Day 14	1.0000	1.0270	-0.0267	-0.1518 to 0.09851	3	3	0.5839	866	No	0.9999

Bonferroni's multiple comparisons test	Mean 1	Mean 2	Mean Diff.	95.00% CI of diff.	N1	N2	t	DF	Significant?	Adjusted P Value
bS1										
Control vs. Day 1	1.0000	1.1400	-0.1400	-0.2652 to -0.01483	3	3	3.0660	866	Yes	0.0179
Control vs. Day 2	1.0000	1.0830	-0.0833	-0.2085 to 0.04184	3	3	1.8250	866	No	0.5470
Control vs. Day 4	1.0000	1.0700	-0.0700	-0.1952 to 0.05517	3	3	1.5330	866	No	0.9999
Control vs. Day 6	1.0000	1.0130	-0.0133	-0.1385 to 0.1118	3	3	0.2920	866	No	0.9999
Control vs. Day 8	1.0000	0.8533	0.1467	0.02149 to 0.2718	3	3	3.2120	866	Yes	0.0109
Control vs. Day 10	1.0000	0.6550	0.3450	0.2051 to 0.4849	3	2	6.7570	866	Yes	0.0001
Control vs. Day 12	1.0000	0.5500	0.4500	0.3248 to 0.5752	3	3	9.8540	866	Yes	0.0001
Control vs. Day 14	1.0000	0.4700	0.5300	0.4048 to 0.6552	3	3	11.6100	866	Yes	0.0001
uS2										
Control vs. Day 1	1.0000	1.0030	-0.0033	-0.1285 to 0.1218	3	3	0.0730	866	No	0.9999
Control vs. Day 2	1.0000	1.0070	-0.0067	-0.1318 to 0.1185	3	3	0.1460	866	No	0.9999
Control vs. Day 4	1.0000	0.9800	0.0200	-0.1052 to 0.1452	3	3	0.4380	866	No	0.9999
Control vs. Day 6	1.0000	1.0200	-0.0200	-0.1452 to 0.1052	3	3	0.4380	866	No	0.9999
Control vs. Day 8	1.0000	0.9800	0.0200	-0.1052 to 0.1452	3	3	0.4380	866	No	0.9999
Control vs. Day 10	1.0000	1.0150	-0.0150	-0.1549 to 0.1249	3	2	0.2938	866	No	0.9999
Control vs. Day 12	1.0000	0.9533	0.0467	-0.07851 to 0.1718	3	3	1.0220	866	No	0.9999
Control vs. Day 14	1.0000	1.0070	-0.0067	-0.1318 to 0.1185	3	3	0.1460	866	No	0.9999
uS3										
Control vs. Day 1	1.0000	1.0270	-0.0267	-0.1518 to 0.09851	3	3	0.5839	866	No	0.9999
Control vs. Day 2	1.0000	1.0330	-0.0333	-0.1585 to 0.09184	3	3	0.7299	866	No	0.9999
Control vs. Day 4	1.0000	1.0100	-0.0100	-0.1352 to 0.1152	3	3	0.2190	866	No	0.9999
Control vs. Day 6	1.0000	1.0630	-0.0633	-0.1885 to 0.06184	3	3	1.3870	866	No	0.9999
Control vs. Day 8	1.0000	1.0400	-0.0400	-0.1652 to 0.08517	3	3	0.8759	866	No	0.9999
Control vs. Day 10	1.0000	1.0100	-0.0100	-0.1499 to 0.1299	3	2	0.1959	866	No	0.9999
Control vs. Day 12	1.0000	1.0270	-0.0267	-0.1518 to 0.09851	3	3	0.5839	866	No	0.9999
Control vs. Day 14	1.0000	1.0500	-0.0500	-0.1752 to 0.07517	3	3	1.0950	866	No	0.9999
uS4										
Control vs. Day 1	1.0000	1.0070	-0.0067	-0.1318 to 0.1185	3	3	0.1460	866	No	0.9999
Control vs. Day 2	1.0000	1.0230	-0.0233	-0.1485 to 0.1018	3	3	0.5110	866	No	0.9999
Control vs. Day 4	1.0000	1.0270	-0.0267	-0.1518 to 0.09851	3	3	0.5839	866	No	0.9999
Control vs. Day 6	1.0000	1.0470	-0.0467	-0.1718 to 0.07851	3	3	1.0220	866	No	0.9999
Control vs. Day 8	1.0000	1.0430	-0.0433	-0.1685 to 0.08184	3	3	0.9489	866	No	0.9999
Control vs. Day 10	1.0000	1.0550	-0.0550	-0.1949 to 0.08495	3	2	1.0770	866	No	0.9999
Control vs. Day 12	1.0000	1.0330	-0.0333	-0.1585 to 0.09184	3	3	0.7299	866	No	0.9999
Control vs. Day 14	1.0000	1.0130	-0.0133	-0.1385 to 0.1118	3	3	0.2920	866	No	0.9999
uS5										
Control vs. Day 1	1.0000	1.0430	-0.0433	-0.1685 to 0.08184	3	3	0.9489	866	No	0.9999
Control vs. Day 2	1.0000	1.0400	-0.0400	-0.1652 to 0.08517	3	3	0.8759	866	No	0.9999
Control vs. Day 4	1.0000	1.0000	0.0000	-0.1252 to 0.1252	3	3	0.0000	866	No	0.9999
Control vs. Day 6	1.0000	1.1070	-0.1067	-0.2318 to 0.01851	3	3	2.3360	866	No	0.1578
Control vs. Day 8	1.0000	1.0430	-0.0433	-0.1685 to 0.08184	3	3	0.9489	866	No	0.9999
Control vs. Day 10	1.0000	1.0300	-0.0300	-0.1699 to 0.1099	3	2	0.5876	866	No	0.9999
Control vs. Day 12	1.0000	1.0670	-0.0667	-0.1918 to 0.05851	3	3	1.4600	866	No	0.9999
Control vs. Day 14	1.0000	1.0270	-0.0267	-0.1518 to 0.09851	3	3	0.5839	866	No	0.9999

Bonferroni's multiple comparisons test	Mean 1	Mean 2	Mean Diff.	95.00% CI of diff.	N1	N2	t	DF	Significant?	Adjusted P Value
bS6										
Control vs. Day 1	1.0000	1.1900	-0.1900	-0.3152 to -0.06483	3	3	4.1610	866	Yes	0.0003
Control vs. Day 2	1.0000	1.1900	-0.1900	-0.3152 to -0.06483	3	3	4.1610	866	Yes	0.0003
Control vs. Day 4	1.0000	1.2100	-0.2100	-0.3352 to -0.08483	3	3	4.5990	866	Yes	0.0001
Control vs. Day 6	1.0000	1.2270	-0.2267	-0.3518 to -0.1015	3	3	4.9640	866	Yes	0.0001
Control vs. Day 8	1.0000	1.3530	-0.3533	-0.4785 to -0.2282	3	3	7.7370	866	Yes	0.0001
Control vs. Day 10	1.0000	1.5600	-0.5600	-0.6999 to -0.4201	3	2	10.9700	866	Yes	0.0001
Control vs. Day 12	1.0000	1.5670	-0.5667	-0.6918 to -0.4415	3	3	12.4100	866	Yes	0.0001
Control vs. Day 14	1.0000	1.6530	-0.6533	-0.7785 to -0.5282	3	3	14.3100	866	Yes	0.0001
uS7										
Control vs. Day 1	1.0000	0.9467	0.0533	-0.07184 to 0.1785	3	3	1.1680	866	No	0.9999
Control vs. Day 2	1.0000	0.9367	0.0633	-0.06184 to 0.1885	3	3	1.3870	866	No	0.9999
Control vs. Day 4	1.0000	0.9200	0.0800	-0.04517 to 0.2052	3	3	1.7520	866	No	0.6412
Control vs. Day 6	1.0000	0.9300	0.0700	-0.05517 to 0.1952	3	3	1.5330	866	No	0.9999
Control vs. Day 8	1.0000	0.9300	0.0700	-0.05517 to 0.1952	3	3	1.5330	866	No	0.9999
Control vs. Day 10	1.0000	0.9600	0.0400	-0.09995 to 0.1799	3	2	0.7835	866	No	0.9999
Control vs. Day 12	1.0000	0.8867	0.1133	-0.01184 to 0.2385	3	3	2.4820	866	No	0.1061
Control vs. Day 14	1.0000	0.9133	0.0867	-0.03851 to 0.2118	3	3	1.8980	866	No	0.4644
uS8										
Control vs. Day 1	1.0000	1.0130	-0.0133	-0.1385 to 0.1118	3	3	0.2920	866	No	0.9999
Control vs. Day 2	1.0000	1.0230	-0.0233	-0.1485 to 0.1018	3	3	0.5110	866	No	0.9999
Control vs. Day 4	1.0000	1.0000	0.0000	-0.1252 to 0.1252	3	3	0.0000	866	No	0.9999
Control vs. Day 6	1.0000	1.0230	-0.0233	-0.1485 to 0.1018	3	3	0.5110	866	No	0.9999
Control vs. Day 8	1.0000	1.0230	-0.0233	-0.1485 to 0.1018	3	3	0.5110	866	No	0.9999
Control vs. Day 10	1.0000	1.1050	-0.1050	-0.2449 to 0.03495	3	2	2.0570	866	No	0.3202
Control vs. Day 12	1.0000	1.1000	-0.1000	-0.2252 to 0.02517	3	3	2.1900	866	No	0.2304
Control vs. Day 14	1.0000	1.1470	-0.1467	-0.2718 to -0.02149	3	3	3.2120	866	Yes	0.0109
uS9										
Control vs. Day 1	1.0000	1.0730	-0.0733	-0.1985 to 0.05184	3	3	1.6060	866	No	0.8694
Control vs. Day 2	1.0000	1.0700	-0.0700	-0.1952 to 0.05517	3	3	1.5330	866	No	0.9999
Control vs. Day 4	1.0000	1.0770	-0.0767	-0.2018 to 0.04851	3	3	1.6790	866	No	0.7483
Control vs. Day 6	1.0000	1.1370	-0.1367	-0.2618 to -0.01149	3	3	2.9930	866	Yes	0.0227
Control vs. Day 8	1.0000	1.1330	-0.1333	-0.2585 to -0.008159	3	3	2.9200	866	Yes	0.0288
Control vs. Day 10	1.0000	1.1400	-0.1400	-0.2799 to -5.118e-005	3	2	2.7420	866	Yes	0.0498
Control vs. Day 12	1.0000	1.1230	-0.1233	-0.2485 to 0.001841	3	3	2.7010	866	No	0.0564
Control vs. Day 14	1.0000	1.1370	-0.1367	-0.2618 to -0.01149	3	3	2.9930	866	Yes	0.0227
uS10										
Control vs. Day 1	1.0000	0.9367	0.0633	-0.06184 to 0.1885	3	3	1.3870	866	No	0.9999
Control vs. Day 2	1.0000	0.9233	0.0767	-0.04851 to 0.2018	3	3	1.6790	866	No	0.7483
Control vs. Day 4	1.0000	0.9367	0.0633	-0.06184 to 0.1885	3	3	1.3870	866	No	0.9999
Control vs. Day 6	1.0000	0.8833	0.1167	-0.008507 to 0.2418	3	3	2.5550	866	No	0.0864
Control vs. Day 8	1.0000	0.9500	0.0500	-0.07517 to 0.1752	3	3	1.0950	866	No	0.9999
Control vs. Day 10	1.0000	1.0650	-0.0650	-0.2049 to 0.07495	3	2	1.2730	866	No	0.9999
Control vs. Day 12	1.0000	1.0730	-0.0733	-0.1985 to 0.05184	3	3	1.6060	866	No	0.8694
Control vs. Day 14	1.0000	1.0570	-0.0567	-0.1818 to 0.06851	3	3	1.2410	866	No	0.9999

Bonferroni's multiple comparisons test	Mean 1	Mean 2	Mean Diff.	95.00% CI of diff.	N1	N2	t	DF	Significant?	Adjusted P Value
uS11										
Control vs. Day 1	1.0000	1.0070	-0.0067	-0.1318 to 0.1185	3	3	0.1460	866	No	0.9999
Control vs. Day 2	1.0000	1.0000	0.0000	-0.1252 to 0.1252	3	3	0.0000	866	No	0.9999
Control vs. Day 4	1.0000	0.9767	0.0233	-0.1018 to 0.1485	3	3	0.5110	866	No	0.9999
Control vs. Day 6	1.0000	1.0400	-0.0400	-0.1652 to 0.08517	3	3	0.8759	866	No	0.9999
Control vs. Day 8	1.0000	1.0170	-0.0167	-0.1418 to 0.1085	3	3	0.3650	866	No	0.9999
Control vs. Day 10	1.0000	0.9950	0.0050	-0.1349 to 0.1449	3	2	0.0979	866	No	0.9999
Control vs. Day 12	1.0000	0.9867	0.0133	-0.1118 to 0.1385	3	3	0.2920	866	No	0.9999
Control vs. Day 14	1.0000	0.9700	0.0300	-0.09517 to 0.1552	3	3	0.6569	866	No	0.9999
uS12										
Control vs. Day 1	1.0000	1.0230	-0.0233	-0.1485 to 0.1018	3	3	0.5110	866	No	0.9999
Control vs. Day 2	1.0000	1.0470	-0.0467	-0.1718 to 0.07851	3	3	1.0220	866	No	0.9999
Control vs. Day 4	1.0000	1.0300	-0.0300	-0.1552 to 0.09517	3	3	0.6569	866	No	0.9999
Control vs. Day 6	1.0000	1.0670	-0.0667	-0.1918 to 0.05851	3	3	1.4600	866	No	0.9999
Control vs. Day 8	1.0000	1.0600	-0.0600	-0.1852 to 0.06517	3	3	1.3140	866	No	0.9999
Control vs. Day 10	1.0000	0.9700	0.0300	-0.1099 to 0.1699	3	2	0.5876	866	No	0.9999
Control vs. Day 12	1.0000	1.0570	-0.0567	-0.1818 to 0.06851	3	3	1.2410	866	No	0.9999
Control vs. Day 14	1.0000	1.0870	-0.0867	-0.2118 to 0.03851	3	3	1.8980	866	No	0.4644
uS13										
Control vs. Day 1	1.0000	1.0300	-0.0300	-0.1552 to 0.09517	3	3	0.6569	866	No	0.9999
Control vs. Day 2	1.0000	1.0300	-0.0300	-0.1552 to 0.09517	3	3	0.6569	866	No	0.9999
Control vs. Day 4	1.0000	1.0730	-0.0733	-0.1985 to 0.05184	3	3	1.6060	866	No	0.8694
Control vs. Day 6	1.0000	1.0470	-0.0467	-0.1718 to 0.07851	3	3	1.0220	866	No	0.9999
Control vs. Day 8	1.0000	1.0130	-0.0133	-0.1385 to 0.1118	3	3	0.2920	866	No	0.9999
Control vs. Day 10	1.0000	0.9900	0.0100	-0.1299 to 0.1499	3	2	0.1959	866	No	0.9999
Control vs. Day 12	1.0000	0.9700	0.0300	-0.09517 to 0.1552	3	3	0.6569	866	No	0.9999
Control vs. Day 14	1.0000	0.9800	0.0200	-0.1052 to 0.1452	3	3	0.4380	866	No	0.9999
uS14										
Control vs. Day 1	1.0000	0.9067	0.0933	-0.03184 to 0.2185	3	3	2.0440	866	No	0.3302
Control vs. Day 2	1.0000	0.9167	0.0833	-0.04184 to 0.2085	3	3	1.8250	866	No	0.5470
Control vs. Day 4	1.0000	0.9600	0.0400	-0.08517 to 0.1652	3	3	0.8759	866	No	0.9999
Control vs. Day 6	1.0000	0.8800	0.1200	-0.005174 to 0.2452	3	3	2.6280	866	No	0.0700
Control vs. Day 8	1.0000	0.9000	0.1000	-0.02517 to 0.2252	3	3	2.1900	866	No	0.2304
Control vs. Day 10	1.0000	0.8500	0.1500	0.01005 to 0.2899	3	2	2.9380	866	Yes	0.0271
Control vs. Day 12	1.0000	0.8500	0.1500	0.02483 to 0.2752	3	3	3.2850	866	Yes	0.0085
Control vs. Day 14	1.0000	0.8767	0.1233	-0.001841 to 0.2485	3	3	2.7010	866	No	0.0564
uS15										
Control vs. Day 1	1.0000	0.9900	0.0100	-0.1152 to 0.1352	3	3	0.2190	866	No	0.9999
Control vs. Day 2	1.0000	0.9967	0.0033	-0.1218 to 0.1285	3	3	0.0730	866	No	0.9999
Control vs. Day 4	1.0000	1.0200	-0.0200	-0.1452 to 0.1052	3	3	0.4380	866	No	0.9999
Control vs. Day 6	1.0000	0.9667	0.0333	-0.09184 to 0.1585	3	3	0.7299	866	No	0.9999
Control vs. Day 8	1.0000	1.0130	-0.0133	-0.1385 to 0.1118	3	3	0.2920	866	No	0.9999
Control vs. Day 10	1.0000	1.0200	-0.0200	-0.1599 to 0.1199	3	2	0.3917	866	No	0.9999
Control vs. Day 12	1.0000	1.0500	-0.0500	-0.1752 to 0.07517	3	3	1.0950	866	No	0.9999
Control vs. Day 14	1.0000	1.0700	-0.0700	-0.1952 to 0.05517	3	3	1.5330	866	No	0.9999

Bonferroni's multiple comparisons test	Mean 1	Mean 2	Mean Diff.	95.00% CI of diff.	N1	N2	t	DF	Significant?	Adjusted P Value
bS16										
Control vs. Day 1	1.0000	0.9333	0.0667	-0.05851 to 0.1918	3	3	1.4600	866	No	0.9999
Control vs. Day 2	1.0000	0.9333	0.0667	-0.05851 to 0.1918	3	3	1.4600	866	No	0.9999
Control vs. Day 4	1.0000	0.9333	0.0667	-0.05851 to 0.1918	3	3	1.4600	866	No	0.9999
Control vs. Day 6	1.0000	0.9167	0.0833	-0.04184 to 0.2085	3	3	1.8250	866	No	0.5470
Control vs. Day 8	1.0000	0.9300	0.0700	-0.05517 to 0.1952	3	3	1.5330	866	No	0.9999
Control vs. Day 10	1.0000	0.9350	0.0650	-0.07495 to 0.2049	3	2	1.2730	866	No	0.9999
Control vs. Day 12	1.0000	0.9700	0.0300	-0.09517 to 0.1552	3	3	0.6569	866	No	0.9999
Control vs. Day 14	1.0000	0.9133	0.0867	-0.03851 to 0.2118	3	3	1.8980	866	No	0.4644
uS17										
Control vs. Day 1	1.0000	1.0070	-0.0067	-0.1318 to 0.1185	3	3	0.1460	866	No	0.9999
Control vs. Day 2	1.0000	1.0130	-0.0133	-0.1385 to 0.1118	3	3	0.2920	866	No	0.9999
Control vs. Day 4	1.0000	0.9967	0.0033	-0.1218 to 0.1285	3	3	0.0730	866	No	0.9999
Control vs. Day 6	1.0000	1.0200	-0.0200	-0.1452 to 0.1052	3	3	0.4380	866	No	0.9999
Control vs. Day 8	1.0000	1.0230	-0.0233	-0.1485 to 0.1018	3	3	0.5110	866	No	0.9999
Control vs. Day 10	1.0000	1.0750	-0.0750	-0.2149 to 0.06495	3	2	1.4690	866	No	0.9999
Control vs. Day 12	1.0000	1.0400	-0.0400	-0.1652 to 0.08517	3	3	0.8759	866	No	0.9999
Control vs. Day 14	1.0000	1.0800	-0.0800	-0.2052 to 0.04517	3	3	1.7520	866	No	0.6412
bS18										
Control vs. Day 1	1.0000	0.9433	0.0567	-0.06851 to 0.1818	3	3	1.2410	866	No	0.9999
Control vs. Day 2	1.0000	0.9867	0.0133	-0.1118 to 0.1385	3	3	0.2920	866	No	0.9999
Control vs. Day 4	1.0000	1.0500	-0.0500	-0.1752 to 0.07517	3	3	1.0950	866	No	0.9999
Control vs. Day 6	1.0000	0.9200	0.0800	-0.04517 to 0.2052	3	3	1.7520	866	No	0.6412
Control vs. Day 8	1.0000	1.0330	-0.0333	-0.1585 to 0.09184	3	3	0.7299	866	No	0.9999
Control vs. Day 10	1.0000	1.0500	-0.0500	-0.1899 to 0.08995	3	2	0.9793	866	No	0.9999
Control vs. Day 12	1.0000	1.0670	-0.0667	-0.1918 to 0.05851	3	3	1.4600	866	No	0.9999
Control vs. Day 14	1.0000	1.0570	-0.0567	-0.1818 to 0.06851	3	3	1.2410	866	No	0.9999
uS19										
Control vs. Day 1	1.0000	1.0570	-0.0567	-0.1818 to 0.06851	3	3	1.2410	866	No	0.9999
Control vs. Day 2	1.0000	1.0500	-0.0500	-0.1752 to 0.07517	3	3	1.0950	866	No	0.9999
Control vs. Day 4	1.0000	1.0370	-0.0367	-0.1618 to 0.08851	3	3	0.8029	866	No	0.9999
Control vs. Day 6	1.0000	1.1000	-0.1000	-0.2252 to 0.02517	3	3	2.1900	866	No	0.2304
Control vs. Day 8	1.0000	1.0730	-0.0733	-0.1985 to 0.05184	3	3	1.6060	866	No	0.8694
Control vs. Day 10	1.0000	1.0300	-0.0300	-0.1699 to 0.1099	3	2	0.5876	866	No	0.9999
Control vs. Day 12	1.0000	1.0500	-0.0500	-0.1752 to 0.07517	3	3	1.0950	866	No	0.9999
Control vs. Day 14	1.0000	1.0400	-0.0400	-0.1652 to 0.08517	3	3	0.8759	866	No	0.9999
bS20										
Control vs. Day 1	1.0000	0.7900	0.2100	0.08483 to 0.3352	3	3	4.5990	866	Yes	0.0001
Control vs. Day 2	1.0000	0.7867	0.2133	0.08816 to 0.3385	3	3	4.6720	866	Yes	0.0001
Control vs. Day 4	1.0000	0.8067	0.1933	0.06816 to 0.3185	3	3	4.2340	866	Yes	0.0002
Control vs. Day 6	1.0000	0.7800	0.2200	0.09483 to 0.3452	3	3	4.8180	866	Yes	0.0001
Control vs. Day 8	1.0000	0.7867	0.2133	0.08816 to 0.3385	3	3	4.6720	866	Yes	0.0001
Control vs. Day 10	1.0000	0.7550	0.2450	0.1051 to 0.3849	3	2	4.7990	866	Yes	0.0001
Control vs. Day 12	1.0000	0.7533	0.2467	0.1215 to 0.3718	3	3	5.4020	866	Yes	0.0001
Control vs. Day 14	1.0000	0.7933	0.2067	0.08149 to 0.3318	3	3	4.5260	866	Yes	0.0001

Bonferroni's multiple comparisons test	Mean 1	Mean 2	Mean Diff.	95.00% CI of diff.	N1	N2	t	DF	Significant?	Adjusted P Value
bS21										
Control vs. Day 1	1.0000	0.9267	0.0733	-0.05184 to 0.1985	3	3	1.6060	866	No	0.8694
Control vs. Day 2	1.0000	0.9033	0.0967	-0.02851 to 0.2218	3	3	2.1170	866	No	0.2765
Control vs. Day 4	1.0000	0.8800	0.1200	-0.005174 to 0.2452	3	3	2.6280	866	No	0.0700
Control vs. Day 6	1.0000	0.8067	0.1933	0.06816 to 0.3185	3	3	4.2340	866	Yes	0.0002
Control vs. Day 8	1.0000	0.7933	0.2067	0.08149 to 0.3318	3	3	4.5260	866	Yes	0.0001
Control vs. Day 10	1.0000	0.7450	0.2550	0.1151 to 0.3949	3	2	4.9940	866	Yes	0.0001
Control vs. Day 12	1.0000	0.7400	0.2600	0.1201 to 0.3999	3	2	5.0920	866	Yes	0.0001
Control vs. Day 14	1.0000	0.6467	0.3533	0.2282 to 0.4785	3	3	7.7370	866	Yes	0.0001

Parameter	Description
Mean 1	Example: Control vs. Day 1; Mean 1 -control (1±10%); Mean 2 - day 1
Mean 2	
Mean Diff.	(Mean diff.) = (Mean 1) - (Mean 2)
95.00% CI of diff.	95% probability that difference between Mean 1 and Mean 2 is between reported range
N1	Number of values used to calculate Mean 1
N2	Number of values used to calculate Mean 2
t	t is the ratio of the departure of the estimated value of a parameter from its hypothesized value to its standard error.
DF	Degrees of Freedom
Significant?	Is Mean 1 significantly different from Mean 2 ?
Adjusted P Value	The adjusted P value is the smallest familywise significance level at which a particular comparison will be declared statistically significant as part of the multiple comparison testing